



Catalogue 2026

WIRING DEVICES



WIRING DEVICES



Inspired by the pursuit of refined living, our products embody the finest craftsmanship, innovative engineering, and sophisticated contemporary design. The seamless harmony of aesthetics and functionality elevates residential, commercial, and office environments with timeless elegance and a distinctive design identity.

Every detail reflects our unwavering commitment to quality, reliability, and enduring design excellence. Each product is rigorously tested and certified by internationally recognized laboratories, ensuring the highest standards of performance, safety, and quality.



T N E T N Z

O C

03

08

13

16



811

SERIES

811 Series Wiring Devices

812

SERIES

812 Series Wiring Devices

800

ACCESSORIES

800 Accessories


8XX

SERIES

8XX Order Code



811 SERIES



Featuring a sleek, sophisticated flat design, our products embody refined craftsmanship and a premium minimalist aesthetic. Seamlessly blending contemporary elegance with timeless style, they elevate every interior with a touch of understated luxury. More than functional electrical accessories, they are thoughtfully designed to create living spaces defined by comfort, elegance, and sophistication.

KEY FEATURES



MINIMALIST DESIGN

Refined minimalism



ELEGANT CRAFTSMANSHIP

Seamless blending with any interior



LUXURY AESTHETIC


Superior engineering and safety



Every product is rigorously tested by TÜV SÜD, ensuring outstanding quality, safety, and reliability.

811

SERIES





811
SERIES

Rating: 16A / 250V
Increased Safety
Dim: 86 × 88mm
Easy Installation
IEC 60669-1
TÜV SÜD Certificate


SWITCH



CONTROL SWITCH



**WATER HEATER
SWITCH**




811
SERIES



Rating: 16A / 250V
Perfect Conductivity
Dim: 86 × 88mm
Easy Installation
IEC 60884-1
TÜV SÜD Certificate





MULTI SOCKET






811
SERIES

Enhanced Control
Classy Simplicity
Dim: 86 × 88mm
IEC 60669-1
IEC 60603-7
IEC 60169-2
TÜV SÜD Certificate



COMMUNICATION SOCKET




HOTEL SWITCH



812

SERIES



Inspired by elegant flowing curves, our products embody refined craftsmanship and a sophisticated contemporary aesthetic. Seamlessly blending graceful contours with timeless elegance, they elevate every interior with a touch of modern luxury. More than functional electrical accessories, they are thoughtfully designed to create living and working spaces defined by comfort, style, and sophistication.

KEY FEATURES



STREAMLINED PROFILE

Precision-engineered for minimalist spaces



PREMIUM FINISHES

Durable materials with a flawless touch




VERSATILE INTEGRATION

Adaptable design for diverse interior styles



Every product is rigorously tested by TÜV SÜD, ensuring outstanding quality, safety, and reliability.

812
SERIES





Rating: 16A / 250V
Increased Safety
Dim: 86 × 88mm
Easy Installation
IEC 60669-1
TÜV SÜD Certificate



SWITCH



CONTROL SWITCH



WATER HEATER SWITCH



8 | 2
SERIES

Rating: 16A / 250V
Perfect Conductivity
Dim: 86 × 88mm
Easy Installation
IEC 60884-1
TÜV SÜD Certificate



MULTI SOCKET





812
SERIES

Enhanced Control
Classy Simplicity
Dim: 86 × 88mm
IEC 60669-1
IEC 60603-7
IEC 60169-2
TÜV SÜD Certificate



COMMUNICATION SOCKET



HOTEL SWITCH





SURFACE PATTRESS BOX



FLUSH-MOUNTED SQUARE BACK BOX



BLANKING PLATES



1 GANG FRAME



2 GANG FRAME



3 GANG FRAME



4 GANG FRAME



FLOOR SOCKET OUTLET



LED NIGHT LIGHT



WATERPROOF BOX



Designed for superior protection and lasting performance, our waterproof enclosure effectively shields switches and sockets from water, dust, and moisture, ensuring enhanced safety and extended product lifespan. With its durable yet elegant design, it is the perfect solution for bathrooms, outdoor areas, and demanding environments where reliability meets sophistication.



8XX
SERIES

**ORDER
CODE**



**ORDER
CODE**

- Dimension: 86 x 28mm
- Output power: 10 A 250V
- Output specification: 10 A 250V
- Output temperature: 10 A 250V
- Output power: 10 A 250V

3 pin 1 pole		Double 3 pin 1 pole		Double 3 pin 2 pole	
Pt	Code	Pt	Code	Pt	Code
	81120 081 122		81120 081 122		81120 081 122
	81120 081 122		81120 081 122		81120 081 122
	81120 081 122		81120 081 122		81120 081 122
	81120 081 122		81120 081 122		81120 081 122

811 ORDER CODE

- Product dimensions: 86 × 88mm
- Switch specifications: 16A / 250V
- Control switch specifications: 10-16A/ 250V
- Operating temperature: -5°C to +50°C
- Packing: 10 pcs/box, 100 pcs/carton



1 gang - 1 way switch

Pic	Code	Color
	811 010 061 002	
	811 010 161 002	
	811 010 961 002	
	811 010 661 002	

1 gang - 2 way switch

Pic	Code	Color
	811 011 061 002	
	811 011 161 002	
	811 011 961 002	
	811 011 661 002	

2 gang - 1 way switch

Pic	Code	Color
	811 020 061 002	
	811 020 161 002	
	811 020 961 002	
	811 020 661 002	

2 gang - 2 way switch

Pic	Code	Color
	811 021 061 002	
	811 021 161 002	
	811 021 961 002	
	811 021 661 002	

3 gang - 1 way switch

Pic	Code	Color
	811 030 061 002	
	811 030 161 002	
	811 030 961 002	
	811 030 661 002	

3 gang - 2 way switch

Pic	Code	Color
	811 031 061 002	
	811 031 161 002	
	811 031 961 002	
	811 031 661 002	

4 gang - 1 way switch

Pic	Code	Color
	811 040 061 002	
	811 040 161 002	
	811 040 961 002	
	811 040 661 002	

4 gang - 2 way switch

Pic	Code	Color
	811 041 061 002	
	811 041 161 002	
	811 041 961 002	
	811 041 661 002	

20A water heater switch

Pic	Code	Color
	811 102 021 002	
	811 102 121 002	
	811 102 921 002	
	811 102 621 002	

45A water heater switch

Pic	Code	Color
	811 104 041 002	
	811 104 141 002	
	811 104 941 002	
	811 104 641 002	

Intermediate Switch Flat


Pic	Code	Color
	811 103 061 002	
	811 103 161 002	
	811 103 961 002	
	811 103 661 002	

Curtain Control Switch Flat

Pic	Code	Color
	811 107 061 002	
	811 107 161 002	
	811 107 961 002	
	811 107 661 002	

811 ORDER CODE SERIES

- Product dimensions: 86 × 88mm
- Socket specifications: 16A / 250V
- USB specifications: 2A / 5VDC
- Operating temperature: -5°C to +50°C
- Packing: 10 pcs/box, 100 pcs/carton



3 pole socket		
Pic	Code	Color
	811 230 061 502	
	811 230 161 502	
	811 230 961 502	
	811 230 661 502	

Double 3 pole socket		
Pic	Code	Color
	811 260 062 502	
	811 260 162 502	
	811 260 962 502	
	811 260 662 502	

3 pole multi socket with switch		
Pic	Code	Color
	811 230 061 122	
	811 230 161 122	
	811 230 961 122	
	811 230 661 122	

3 pole multi socket with switch, USB		
Pic	Code	Color
	811 230 061 152	
	811 230 161 152	
	811 230 961 152	
	811 230 661 152	

2 pole + 3 pole socket with switch		
Pic	Code	Color
	811 260 062 412	
	811 260 162 412	
	811 260 962 412	
	811 260 662 412	

3 pole multi socket with switch, USB		
Pic	Code	Color
	811 230 061 142	
	811 230 161 142	
	811 230 961 142	
	811 230 661 142	

2 pole socket with Earth Contact		
Pic	Code	Color
	811 230 061 302	
	811 230 161 302	
	811 230 961 302	
	811 230 661 302	

3 pole socket with switch		
Pic	Code	Color
	811 230 061 322	
	811 230 161 322	
	811 230 961 322	
	811 230 661 322	

3 pole socket with switch, USB		
Pic	Code	Color
	811 230 061 352	
	811 230 161 352	
	811 230 961 352	
	811 230 661 352	

Double 3 pole socket with switch		
Pic	Code	Color
	811 260 062 322	
	811 260 162 322	
	811 260 962 322	
	811 260 662 322	

Double 3 pole socket with switch, USB		
Pic	Code	Color
	811 260 062 352	
	811 260 162 352	
	811 260 962 352	
	811 260 662 352	

Double 3 pole multi socket with switch		
Pic	Code	Color
	811 260 062 122	
	811 260 162 122	
	811 260 962 122	
	811 260 662 122	

Double 3 pole multi socket with switch, USB		
Pic	Code	Color
	811 260 062 152	
	811 260 162 152	
	811 260 962 152	
	811 260 662 152	

2 pole socket with Earth Contact, USB		
Pic	Code	Color
	811 230 061 362	
	811 230 161 362	
	811 230 961 362	
	811 230 661 362	

8111 ORDER CODE

- Product dimensions: 86 × 88mm
- Dimmer: 500W / 200–250V~
- Fan Dimmer: 500W / 200–250V~
- Operating temperature: -5°C to +50°C
- Packing: 10 pcs/box, 100 pcs/carton



TV socket		
Pic	Code	Color
	811 301 001 002	
	811 301 101 002	
	811 301 901 002	
	811 301 601 002	
RJ45 socket		
Pic	Code	Color
	811 320 001 002	
	811 320 101 002	
	811 320 901 002	
	811 320 601 002	
TV + RJ45 socket		
Pic	Code	Color
	811 321 001 002	
	811 321 101 002	
	811 321 901 002	
	811 321601 002	
TV + RJ11 socket		
Pic	Code	Color
	811 331 001 002	
	811 331 101 002	
	811 331 901 002	
	811 331 601 002	
RJ11 + RJ45 socket		
Pic	Code	Color
	811 350 001 002	
	811 350 101 002	
	811 350 901 002	
	811 350 601 002	
Dimmer light switch		
Pic	Code	Color
	811 105 061 002	
	811 105 161 002	
	811 105 961 002	
	811 105 661 002	
Key card switch		
Pic	Code	Color
	811 108 061 002	
	811 108 161 002	
	811 108 961 002	
	811 108 661 002	

RJ11 socket		
Pic	Code	Color
	811 330 001 002	
	811 330 101 002	
	811 330 901 002	
	811 330 601 002	
Satellite socket		
Pic	Code	Color
	811 302 001 002	
	811 302 101 002	
	811 302 901 002	
	811 302 601 002	
Satellite + RJ11 socket		
Pic	Code	Color
	811 332 001 002	
	811 332 101 002	
	811 332 901 002	
	811 332 601 002	
Satellite + RJ45 socket		
Pic	Code	Color
	811 322 001 002	
	811 322 101 002	
	811 322 901 002	
	811 322 601 002	
Doorbell switch		
Pic	Code	Color
	811 101 061 002	
	811 101 161 002	
	811 101 961 002	
	811 101 661 002	
Dimmer fan switch		
Pic	Code	Color
	811 104 061 002	
	811 104 161 002	
	811 104 961 002	
	811 104 661 002	
Hotel switch		
Pic	Code	Color
	811 109 061 002	
	811 109 161 002	
	811 109 961 002	
	811 109 661 002	

812 ORDER CODE SERIES

- Product dimensions: 86 × 88mm
- Switch specifications: 16A / 250V
- Control switch specifications: 10-16A/ 250V
- Operating temperature: -5°C to +50°C
- Packing: 10 pcs/box, 100 pcs/carton



1 gang – 1 way switch		
Pic	Code	Color
	812 010 061 002	
	812 010 161 002	
	812 010 961 002	
	812 010 661 002	
1 gang – 2 way switch		
Pic	Code	Color
	812 011 061 002	
	812 011 161 002	
	812 011 961 002	
	812 011 661 002	
2 gang – 1 way switch		
Pic	Code	Color
	812 020 061 002	
	812 020 161 002	
	812 020 961 002	
	812 020 661 002	
2 gang – 2 way switch		
Pic	Code	Color
	812 021 061 002	
	812 021 161 002	
	812 021 961 002	
	812 021 661 002	
3 gang – 1 way switch		
Pic	Code	Color
	812 030 061 002	
	812 030 161 002	
	812 030 961 002	
	812 030 661 002	
3 gang – 2 way switch		
Pic	Code	Color
	812 031 061 002	
	812 031 161 002	
	812 031 961 002	
	812 031 661 002	

4 gang – 1 way switch		
Pic	Code	Color
	812 040 061 002	
	812 040 161 002	
	812 040 961 002	
	812 040 661 002	
4 gang – 2 way switch		
Pic	Code	Color
	812 041 061 002	
	812 041 161 002	
	812 041 961 002	
	812 041 661 002	
20A water heater switch		
Pic	Code	Color
	812 102 021 002	
	812 102 121 002	
	812 102 921 002	
	812 102 621 002	
45A water heater switch		
Pic	Code	Color
	812 104 041 002	
	812 104 141 002	
	812 104 941 002	
	812 104 641 002	
Intermediate Switch Arc		
Pic	Code	Color
	812 103 061 002	
	812 103 161 002	
	812 103 961 002	
	812 103 661 002	
Curtain Control Switch Arc		
Pic	Code	Color
	812 107 061 002	
	812 107 161 002	
	812 107 961 002	
	812 107 661 002	

812 ORDER CODE SERIES

- Product dimensions: 86 × 88mm
- Socket specifications: 16A / 250V
- USB specifications: 2A / 5VDC
- Operating temperature: -5°C to +50°C
- Packing: 10 pcs/box, 100 pcs/carton



3 pole socket

Pic	Code	Color
	812 230 061 502	
	812 230 161 502	
	812 230 961 502	
	812 230 661 502	

Double 3 pole socket

Pic	Code	Color
	812 260 062 502	
	812 260 162 502	
	812 260 962 502	
	812 260 662 502	

3 pole socket with switch

Pic	Code	Color
	812 230 061 322	
	812 230 161 322	
	812 230 961 322	
	812 230 661 322	

3 pole socket with switch, USB

Pic	Code	Color
	812 230 061 352	
	812 230 161 352	
	812 230 961 352	
	812 230 661 352	

2 pole + 3 pole socket with switch

Pic	Code	Color
	812 260 062 412	
	812 260 162 412	
	812 260 962 412	
	812 260 662 412	

3 pole multi socket with switch, USB

Pic	Code	Color
	812 230 061 142	
	812 230 161 142	
	812 230 961 142	
	812 230 661 142	

2 pole socket with Earth Contact

Pic	Code	Color
	812 230 061 302	
	812 230 161 302	
	812 230 961 302	
	812 230 661 302	


2 pole socket with Earth Contact, USB

Pic	Code	Color
	812 230 061 362	
	812 230 161 362	
	812 230 961 362	
	812 230 661 362	

812 ORDER CODE SERIES

- Product dimensions: 86 × 88mm
- Dimmer: 500W / 200–250V~
- Fan Dimmer: 500W / 200–250V~
- Operating temperature: -5°C to +50°C
- Packing: 10 pcs/box, 100 pcs/carton




TV socket		
Pic	Code	Color
	812 301 001 002	
	812 301 101 002	
	812 301 901 002	
	812 301 601 002	
RJ45 socket		
Pic	Code	Color
	812 320 001 002	
	812 320 101 002	
	812 320 901 002	
	812 320 601 002	
TV + RJ45 socket		
Pic	Code	Color
	812 321 001 002	
	812 321 101 002	
	812 321 901 002	
	812 321 601 002	
TV + RJ11 socket		
Pic	Code	Color
	812 331 001 002	
	812 331 101 002	
	812 331 901 002	
	812 331 601 002	
RJ11 + RJ45 socket		
Pic	Code	Color
	812 350 001 002	
	812 350 101 002	
	812 350 901 002	
	812 350 601 002	
Dimmer light switch		
Pic	Code	Color
	812 105 061 002	
	812 105 161 002	
	812 105 961 002	
	812 105 661 002	
Key card switch		
Pic	Code	Color
	812 108 061 002	
	812 108 161 002	
	812 108 961 002	
	812 108 661 002	


RJ11 socket		
Pic	Code	Color
	812 330 001 002	
	812 330 101 002	
	812 330 901 002	
	812 330 601 002	
Satellite socket		
Pic	Code	Color
	812 302 001 002	
	812 302 101 002	
	812 302 901 002	
	812 302 601 002	
Satellite + RJ11 socket		
Pic	Code	Color
	812 332 001 002	
	812 332 101 002	
	812 332 901 002	
	812 332 601 002	
Satellite + RJ45 socket		
Pic	Code	Color
	812 322 001 002	
	812 322 101 002	
	812 322 901 002	
	812 322 601 002	
Doorbell switch		
Pic	Code	Color
	812 101 061 002	
	812 101 161 002	
	812 101 961 002	
	812 101 661 002	
Dimmer fan switch		
Pic	Code	Color
	812 104 061 002	
	812 104 161 002	
	812 104 961 002	
	812 104 661 002	
Hotel switch		
Pic	Code	Color
	812 109 061 002	
	812 109 161 002	
	812 109 961 002	
	812 109 661 002	

800 ORDER ACCESSORIES CODE


- Floor Socket: 10A / 250V
- Waterproof box protection rating: IP65
- Nightlight switch protection rating: IP65
- Operating temperature: -5°C to +50°C
- Packing: 5 pcs/box




Surface Pattress Box

Pic	Code	Color
	800 507 001 002	

1 Gang Frame

Pic	Code	Color
	800 501 001 002	
	800 501 101 002	
	800 501 901 002	
	800 501 601 002	

3 Gang Frame

Pic	Code	Color
	800 503 003 002	
	800 503 103 002	
	800 503 903 002	
	800 503 603 002	

LED Night Light

Pic	Code	Color
	800 510 051 002	
	800 510 151 002	
	800 510 951 002	
	800 510 651 002	


Waterproof Box

Pic	Code	Color
	800 506 001 002	
	800 506 101 002	
	800 506 901 002	
	800 506 601 002	
	800 506 701 002	


Floor Socket Outlet

Pic	Code	Color
	800 509 061 002	
	800 509 161 002	
	800 509 961 002	
	800 509 661 002	


Flush-Mounted Square Back Box

Pic	Code	Color
	800 508 001 002	

2 Gang Frame

Pic	Code	Color
	800 502 002 002	
	800 502 102 002	
	800 502 902 002	
	800 502 602 002	

4 Gang Frame

Pic	Code	Color
	800 504 004 002	
	800 504 104 002	
	800 504 904 002	
	800 504 604 002	

Blanking Plates

Pic	Code	Color
	800 505 051 002	
	800 505 151 002	
	800 505 951 002	
	800 505 651 002	

Outdoor Waterproof Box

Pic	Code	Color
	800 506 001 032	
	800 506 101 032	
	800 506 901 032	
	800 506 601 032	
	800 506 701 032	

Premium Floor Socket

Pic	Code	Color
	800 509 061 052	
	800 509 161 052	
	800 509 961 052	
	800 509 661 052	

ORDER
CODE[illegible][illegible]



**REALVALUE
FOR LIFE**

Designed by NEXUS BTB ELEKTRİK ÜRETİM TİCARET ANONİM ŞİRKETİ
Add: Ortaköy Mah. Ambarlıdere Yolu Sk. Lotus World No. 6 İç Kapı
No: 5 Beşiktaş / İstanbul, Türkiye
E-mail: sales@btb-electric.com | Tel: +90 212 401 6903
Web: btb-electric.com

